



# 9-2 The Krebs Cycle and Electron Transport



## 9-2 The Krebs Cycle and Electron Transport

Oxygen is required for the final steps of cellular respiration.

Because the pathways of cellular respiration require oxygen, they are **aerobic**.

## 9-2 The Krebs Cycle and The Krebs Cycle Electron Transport



**What happens during the Krebs cycle?**




**During the Krebs cycle, pyruvic acid is broken down into carbon dioxide in a series of energy-extracting reactions.**

**movie**  
click to start

## 9-2 The Krebs Cycle and The Krebs Cycle Electron Transport

**C C C** Pyruvic acid


The Krebs cycle begins when pyruvic acid produced by glycolysis enters the mitochondrion.



## 9-2 The Krebs Cycle and The Krebs Cycle Electron Transport




One carbon molecule is removed, forming  $\text{CO}_2$ , and electrons are removed, changing  $\text{NAD}^+$  to  $\text{NADH}$ .



## 9-2 The Krebs Cycle and The Krebs Cycle Electron Transport


Coenzyme A joins  
the 2-carbon  
molecule, forming  
acetyl-CoA.





## 9-2 The Krebs Cycle and → The Krebs Cycle Electron Transport

Acetyl-CoA then adds the 2-carbon acetyl group to a 4-carbon compound, forming citric acid.



**movie**  
click to start



## 9-2 The Krebs Cycle and The Krebs Cycle Electron Transport

Citric acid is broken down into a 5-carbon compound, then into a 4-carbon compound.




## 9-2 The Krebs Cycle and The Krebs Cycle Electron Transport

Two more molecules of  $\text{CO}_2$  are released and electrons join  $\text{NAD}^+$  and  $\text{FAD}$ , forming  $\text{NADH}$  and  $\text{FADH}_2$



## 9-2 The Krebs Cycle and The Krebs Cycle Electron Transport

In addition, one molecule of ATP is generated.



## 9-2 The Krebs Cycle and The Krebs Cycle Electron Transport

The energy tally from 1 molecule of pyruvic acid is

- 4 NADH
- 1 FADH<sub>2</sub>
- 1 ATP



**How are high-energy electrons used by the electron transport chain?**

# Electron Transport




**The electron transport chain uses the high-energy electrons from the Krebs cycle to convert ADP into ATP.**

# 9-2 The Krebs Cycle and Electron Transport

## Electron Transport

**movie**  
click to start


High-energy electrons from NADH and  $\text{FADH}_2$  are passed along the electron transport chain from one carrier protein to the next.





## 9-2 The Krebs Cycle and → Electron Transport


At the end of the chain, an enzyme combines these electrons with hydrogen ions and oxygen to form water.



## 9-2 The Krebs Cycle and Electron Transport


### Electron Transport

As the final electron acceptor of the electron transport chain, oxygen gets rid of the low-energy electrons and hydrogen ions.



## 9-2 The Krebs Cycle and → Electron Transport Electron Transport

When 2 high-energy electrons move down the electron transport chain, their energy is used to move hydrogen ions ( $H^+$ ) across the membrane.




# 9-2 The Krebs Cycle and Electron Transport

## Electron Transport

**movie**  
click to start


During electron transport,  $H^+$  ions build up in the intermembrane space, so it is positively charged.



## 9-2 The Krebs Cycle and Electron Transport


### Electron Transport

The other side of the membrane, from which those  $H^+$  ions are taken, is now negatively charged.




## 9-2 The Krebs Cycle and → Electron Transport Electron Transport

The inner membranes of the mitochondria contain protein spheres called ATP synthases.




## 9-2 The Krebs Cycle and → Electron Transport Electron Transport

As  $H^+$  ions escape through channels into these proteins, the ATP synthase spins.



## 9-2 The Krebs Cycle and → Electron Transport Electron Transport

As it rotates, the enzyme grabs a low-energy ADP, attaching a phosphate, forming high-energy ATP.






## The Totals

Glycolysis produces just 2 ATP molecules per molecule of glucose.



The complete breakdown of glucose through cellular respiration, including glycolysis, results in the production of 36 molecules of ATP.

## 9-2 The Krebs Cycle and ➡ The Totals Electron Transport



# Comparing Photosynthesis and Cellular Respiration

The energy flows in photosynthesis and cellular respiration take place in opposite directions.



On a global level, photosynthesis and cellular respiration are also opposites.

- Photosynthesis removes carbon dioxide from the atmosphere and cellular respiration puts it back.
- Photosynthesis releases oxygen into the atmosphere and cellular respiration uses that oxygen to release energy from food.

## 9-2 Section QUIZ

Continue to:

**Section QUIZ**

- or -

Click to Launch:



## 9-2 Section QUIZ

- 1 The Krebs cycle breaks pyruvic acid down into
- a. oxygen.
  - b. NADH.
  - c. carbon dioxide.
  - d. alcohol.

**2** What role does the Krebs cycle play in the cell?

- a. It breaks down glucose and releases its stored energy.
- b. It releases energy from molecules formed during glycolysis.
- c. It combines carbon dioxide and water into high-energy molecules.
- d. It breaks down ATP and NADH, releasing stored energy.

## 9-2 Section QUIZ

**3** In eukaryotes, the electron transport chain is located in the

- a. cell membrane.
- b. inner mitochondrial membrane.
- c. cytoplasm.
- d. outer mitochondrial membrane.



## 9-2 Section QUIZ

- 4 To generate energy over long periods, the body must use
- a. stored ATP.
  - b. lactic acid fermentation.
  - c. cellular respiration.
  - d. glycolysis.

- 5** Which statement correctly describes photosynthesis and cellular respiration?
- a. Photosynthesis releases energy, while cellular respiration stores energy.
  - b. Photosynthesis and cellular respiration use the same raw materials.
  - c. Cellular respiration releases energy, while photosynthesis stores energy.
  - d. Cellular respiration and photosynthesis produce the same products.

**END OF SECTION**