
# INFORMATION TO STUDY FOR THE BIOLOGY EOC TEST

(Lists, Diagrams, Graphic Organizers, Key Vocabulary, Distinctive Categories, etc.)

You should plan to study / review the content for ALL the goals and objectives. In this section, you will find content-specific information that shows connections, relationships, and key vocabulary for each of the five major goals.

# GOAL 1: Design and conduct investigations to demonstrate an understanding of scientific inquiry.

- Scientific Investigations
- Hypotheses, Variables, Controls, Measurement / Tools, Data, Charts / Graphs, Communication of Findings
- Inquiry Activities, Research, Statistical Techniques, Laboratory Reports, Sources of Error, Community Involvement
- Safety Procedures, Laboratory / Field Studies, Potential Hazards, Manipulate Materials / Equipment
- Analyze Reports, Scientifically Literate Viewpoint, Adequacy of Experimental Controls, Replication, Interpretations



 $http://www.sciencebuddies.org/mentoring/project\_scientific\_method.shtml$ 

**HYPOTHESIS:** tentative explanation for an observation, phenomenon, or scientific problem that can be tested by further investigation

VARIABLE: to vary or change

**INDEPENDENT VARIABLE:** a manipulated variable in an experiment or study whose presence or degree determines the change in the dependent variable

**DEPENDENT VARIABLE:** the observed variable in an experiment or study whose changes are determined by the presence or degree of one or more independent variables **CONTROL:** a standard against which other conditions can be compared in a scientific experiment

# **SOURCES OF ERROR IN EXPERIMENTS:**

- Instrumental error (lack of calibration)
- Personal error (inaccurate observations)
- Sampling error (sample size too small or not random)
- Replication error (lack of consistency and accuracy)
- Experimental design
- Measurement error (lack of accuracy and precision)

### **BASIC STEPS FOR AN EXPERIMENT:**

- 1. plan the research including determining information sources, research subject selection, and <u>ethical</u> considerations for the proposed research and method,
- 2. <u>design the experiment</u> concentrating on the system model and the interaction of independent and dependent variables,
- 3. summarize a collection of observations to feature their commonality by suppressing details (descriptive statistics),
- 4. reach consensus about what the observations tell us about the world we observe (statistical inference),
- 5. document and present the results of the study.

# **TYPES OF OBSERVATIONS:**

**Qualitative** – described by words or terms rather than numbers and including subjective descriptions in terms of variables such as color, shape, and smell; often recorded using terms, photographs, or drawings

Quantitative – numerical values derived from counts or measurements of a variable; frequently require some kind of instrument use in recording

# REPLICATION OF EXPERIMENTS: WHY?

- shows how variable the response can be
- limited resources may affect results; need to determine a compromise between resources and methods
- need to show a difference between pairs of means
- reliability of results
- consistency of methods and procedures and equipment
- analysis of data and interpretation of data to form conclusions
- ability to form a scientifically literate viewpoint with valid supporting data

# GOAL 2: Develop an understanding of the physical, chemical, and cellular basis of life.

- Structure and Functions of Organic Molecules (carbohydrates, proteins, lipids, nucleic acids)
- Structure and Functions of Cells, Cellular Organelles, Cell Specialization, Communication Among Cells
- Cell as a Living System, Homeostasis, Cellular Transport, Energy Use and Release in Biochemical Reactions
- Structure and Function of Enzymes, Importance in Biological Systems
- Bioenergetic Reactions, Aerobic / Anaerobic Respiration, Photosynthesis

# **ORGANIC MOLECULES:**

Organic compounds contain carbon and are found in all living things.

- Carbohydrates

major source of energy and include sugars and starches made up of carbon, hydrogen, and oxygen with a 2:1 ratio of hydrogen to oxygen plants and animals use carbohydrates for maintaining structure within the cells

- Proteins

Nitrogen-containing compounds made up of chains of amino acids 20 amino acids can combine to form a great variety of protein molecules can compose enzymes, hormones, antibodies, and structural components

- Lipids

water-insoluble (fats and oils)

made up of carbon, hydrogen and oxygen; composed of glycerol and fatty acid provide insulation, store energy, cushion internal organs, found in biological membranes saturated (with hydrogen, single bonds, see example →) and unsaturated (double bonds)

- Nucleic Acids


direct the instruction of proteins genetic information an organism receives from its parents two types: DNA (deoxyribonucleic acid) and RNA (ribonucleic acid)

# **CELL ORGANELLES:**

- **Chloroplast** capture solar energy for photosynthesis (plant cells, some algae)
- Golgi Body package, distribute products
- Lysosomes digests excess products and food particles
- Mitochondria transform energy through respiration
- Nucleus contains DNA which controls cellular activities
- Ribosome produce proteins
- Vacuole store substances
- Cell (plasma) membrane phospholipid bilayer that protects and encloses the cell; controls transport; maintains homeostasis
- Cell wall rigid second layer that protects and encloses the cell (plant cells and some bacteria)
- Cytoplasm fluid-like substance that contains various membrane-bound structures (organelles) that perform various functions
- Endoplasmic Reticulum site of chemical reactions
  - ROUGH: contains ribosomes
  - SMOOTH: lipid production
- Cytoskeleton provides internal structure
  - MICROFILAMENTS: fibers
  - MICROTUBULES: cylinders

# **CELL TYPES:**

- Unicellular organism that exists as a singular, independent cell
- Multicellular organism that exists as specialized groups of cells; cells are organized into tissues that perform the same function; tissues form organs and organs make up an organ system
- Prokaryote has nuclear material in the center of the cell, but is not enclosed by a nuclear membrane; no membranebound organelles; found in bacteria and blue-green bacteria
- Eukaryote contain a clearly defined nucleus enclosed by a nuclear membrane and membrane-bound organelles; found in plants, animals, fungi, and protists





# **CELL THEORY:**

- The cell is the basic unit of life.
- All organisms are composed of cells
- All cells come from pre-existing cells.

# **CELL SPECIALIZATION:**

- cells >>>> tissues >>>> organs >>>> organ systems >>>> organism
- each cell performs a specific function for each tissue or organ
- as cells mature, they shape and contents change
- as cells become specialized they may contain organelles that are NOT common to all cells (for example: plastids, cell wall, vacuole, centriole)
- design and shape of a cell is dictated by its function and the conditions under which it works
- multicellular organisms exhibit greater cellular specialization, such as red blood cells, nerve cells, and gland cells





# **CELL TRANSPORT:**

- Passive Transport movement of substances across the plasma membrane without the use of the cell's energy (with the concentration gradient)
- 1. DIFFUSION movement of substances across the plasma membrane from an area of high concentration to an area of low concentration
- 2. OSMOSIS diffusion of water across the plasma membrane from areas of high concentration to areas of lower concentration
- 3. FACILITATED TRANSPORT a carrier molecule embedded in the plasma membrane transports a substance across the plasma membrane following the high-to-low concentration gradient
- Active Transport movement of substances across the plasma membrane that requires the use of the cell's energy and carrier molecules; substances are moving from an area of low concentration to an area of higher concentration (against the concentration gradient)
- 1. ENDOCYTOSIS large particles are brought into the cell
- 2. EXOCYTOSIS large particles leave the cell
- <u>HOMEOSTASIS</u> internal equilibrium; the plasma membrane regulates what enters and leaves the cell; a selectively permeable membrane only allows certain substances to pass through
- Effect of Concentration on a Cell
- 1. HYPOTONIC water moves in; cell bursts
- 2. HYPERTONIC water moves out; cell shrivels
- 3. ISOTONIC no net movement; cell maintains equilibrium

**HOMEOSTASIS:** Self-regulating mechanism that maintains internal conditions (with individual cells and within organs, systems) Example: body temperature, respiration, nutritional balance, etc. Cells communicate their needs to each other mainly through their cell membranes by releasing chemical messengers that, ultimately, tell the hypothalamus gland in the brain that a change needs to be made in the interstitial fluid. Since it is the ruler of homeostasis, the hypothalamus sends neural and chemical signals to other glands, tissues, organs, and organ systems to adjust the internal environment, the interstitial fluid, so that it is more suitable for all the cells at that particular time. And since we are always changing what we are doing, homeostasis needs to change along with our activities, both day and night. This constantly changing internal environment is the process of homeostasis.

- Negative Feedback: Glucose / Insulin levels in cells
- Positive Feedback: Blood platelets / Blood clotting

BIOCHEMICAL REACTIONS: chemical bonds are formed and broken within living things creating chemical reactions that impact the ability to maintain life and carry out life functions

- **Cellular Respiration** – food molecules are converted to energy; there are three stages to cellular respiration; the first stage is called glycolysis and is anaerobic (no oxygen is required); the next two stages are called the citric acid cycle and the electron transport chain and are aerobic (oxygen is required)

$$C_6H_{12}O_6$$
 +  $6O_2$   $\Rightarrow$   $6CO_2$  +  $6H_2O$  + ENERGY (36 ATP)

Photosynthesis – plant cells capture energy from the Sun and convert it into food (carbohydrates); plant cells then convert the
carbohydrates into energy during cellular respiration; the ultimate source of energy for all living things is the Sun (in Chemosynthesis,
organisms use sulfur or nitrogen as the main energy source)

$$6CO_2 + 6H_2O + ENERGY(from sunlight) \Rightarrow C_6H_{12}O_6 + 6O_2$$

ATP – ATP is a molecule that stores and releases the energy in its bonds when the cell needs it; removing a phosphate group (P) releases energy for chemical reactions to occur in the cell and ATP becomes ADP; when the cell has energy, the energy is stored in the bond when the phosphate group is added to the ADP

Fermentation – when cells are not provided with oxygen in a timely manner, this process occurs to continue producing ATP until oxygen is available again; glucose is broken down; there are two types of fermentation

Lactic Acid Fermentation (muscle cells)

Alcoholic Fermentation (plant cells)

Glucose ⇒ Lactic Acid + 2ATP

Glucose ⇒ CO₂ + Alcohol + 2ATP

# **AEROBIC AND ANAEROBIC RESPIRATION:**

# Aerobic Respiration -

- requires the presence of oxygen
- release of energy from the breakdown of glucose (or another organic compound) in the presence of oxygen
- energy released is used to make ATP, which provides energy for bodily processes
- takes place in almost all living things

# Anaerobic Respiration -


- occurs in the absence of oxygen
- breakdown of food substances in the absence of oxygen with the production of a small amount of energy
- produces less energy than aerobic respiration
- often called fermentation
- seen as an adaptation for organisms that live in environments that lack oxygen

COMPARISON OF CELLULAR RESPIRATION, PHOTOSYNTHESIS AND CHEMOSYNTHESIS					
CELLULAR RESPIRATION	<u>PHOTOSYNTHESIS</u>	<u>CHEMOSYNTHESIS</u>			
Food Broken Down Energy from Glucose Released Carbon Dioxide given off Oxygen taken in Produces Carbon Dioxide and Water Does not require Light Occurs in ALL Living Cells Organisms often called Heterotrophs	Food Synthesized Energy from Sun stored in Glucose Carbon Dioxide taken in Oxygen given off Produces Sugars (Glucose) from PGAL Requires Light Occurs only in presence of Chlorophyll Organisms called Autotrophs	Food Synthesized Energy from Methane or Inorganic Material (ex: H gas or Hydrogen sulfide) Organisms often called chemotrophs Organisms called extremophiles Live in environments without oxygen Anaerobic Bacteria Habitats: hydrothermal vents			

# **ENZYMES:**

Enzymes are special proteins that regulate nearly every biochemical reaction in the cell. Different reactions require different enzymes. Enzymes function to:

- Provide energy to cells
- Build new cells
- Aid in digestion
- Break down complex molecules ("substrate" = reactant)
- Catalysts (speed up chemical reactions without being used up or altered)
- Factors that affect enzymes: pH, temperature, and quantity



# GOAL 3: Develop an understanding of the continuity of life and the changes of organisms over time.

- Molecular Basis of Heredity, DNA Replication, Protein Synthesis (Transcription, Translation), Gene Regulation
- Characteristics of Sexual and Asexual Reproduction
- Patterns of Inheritance, Dominant / Recessive / Intermediate Traits, Multiple Alleles, Polygenic Inheritance, Sex-Linked Traits, Independent Assortment, Test Cross, Pedigrees, Punnett Squares
- Impact of Advances in Genomics on Individuals and Society, Human Genome Project, Applications of Biotechnology
- Development of Theory of Evolution by Natural Selection, Origin and History of Life, Fossil and Biochemical Evidence, Mechanisms of Evolution, Applications (Pesticides and Antibiotic Resistance)


# DNA & RNA:

- Nucleic acids composed of nucleotides
- Nucleotides composed of:


Phosphate group


Sugar

Nitrogenous base



COMPARISON OF DNA AND RNA				
DNA	<u>RNA</u>			
Deoxyribonucleic acid	Ribonucleic acid			
Double-stranded, twisted helix	Single-stranded			
Never leaves the nucleus	Leaves the nucleus			
Nitrogenous bases: adenine, thymine, guanine, cytosine	Nitrogenous bases: adenine, uracil, guanine, cytosine			
(Guanine w/Cytosine, Adenine w/Thymine)	(Guanine w/Cytosine, Adenine w/Uracil)			
(Purines opposite the Pyrimidines)	Sugar: ribose			
(held together by weak hydrogen bonds)	Three major types of RNA			
Sugar: deoxyribose	(Ribosomal – rRNA; Messenger – mRNA; Transfer – tRNA)			
Controls production of all proteins	Leaves the nucleus to carry out functions in cytoplasm			
DNA Replication:	Transcription:			
(DNA unravels and each strand makes a new exact copy so that when	(mRNA is made from one strand of DNA, carries message to ribosomes)			
mitosis takes place, each cell has the exact copy of DNA)	Translation:			
DNA coiled into chromosomes in nucleus	(mRNA translated into a protein at the ribosomes; tRNA transfers amino acids			
Tiny sections of DNA are called genes	from cytoplasm to ribosomes)			
Sequence of bases determines sequence of amino acids in proteins				





# Asexual and Sexual Reproduction:

**Asexual Reproduction** – a single parent produces one or more identical offspring by dividing into two cells - mitosis (protists, arthropods, bacteria by binary fission, fungi, plants); produces large numbers of offspring

- offspring are clones of parents (genetically identical)
- common in unicellular organisms, good for stable environments
- budding, binary fission, conjugation
- quick process (low energy requirement) produces high number of offspring

**Sexual Reproduction** – pattern of reproduction that involves the production and fusion of haploid sex cells; haploid sperm from father fertilizes haploid egg from mother to make a diploid zygote that develops into a multicellular organism through mitosis

- results in genetic variation (diversity)
- common in multicellular organisms (external or internal fertilization); good for changing environments
- slow process (high energy requirement) produces low number of offspring
- meiosis = formation of sex cells (gametes)

# **CELL DIVISION:**

- process of copying and dividing the entire cell
- the cell grows, prepares for division, and then divides to form new daughter cells
- allows unicellular organisms to duplicate in a process called asexual reproduction
- allows multicellular organisms to grow, develop from a single cell into a multicellular organism, make other cells to repair and replace worn out cells
- three types: binary fission (bacteria and fungi), mitosis, and meiosis

# **COMPARISON OF MITOSIS AND MEIOSIS**

# **MITOSIS**

# Cell cycle consists of interphase, mitosis, and cytokinesis *Interphase* – longest part of cell cycle

Growth, metabolism, and preparation for division occurs Duplicates chromosomes (DNA Replication)

Mitosis - division of nucleus of the cell

- Prophase duplicated chromosomes and spindle fibers appear
- Metaphase duplicated chromosomes line up randomly in center of cell between spindle fibers
- Anaphase duplicated chromosomes pulled to opposite ends of cell
- Telophase nuclear membrane forms around chromosomes at each end of cell; spindle fibers disappear; chromosomes disperse

**Cytokinesis** – division of plasma membrane; two daughter cells result with exact genetic information

(in plant cells a "cell plate" forms along the center of the cell and cuts the cell in half; cell plate forms new cell walls once the plasma membrane divides)

# **RESULTS:**

Two daughter cells (body cells)

Same number of chromosomes as original cell (humans = 46) Cells are diploid (human diploid # = 46 or 23 homologous pairs)

# **MEIOSIS**

Consists of two cell divisions, but only one chromosome replication (sometimes called reduction division)

Each cell division consists of prophase, metaphase, anaphase, and telophase

Occurs only in sex cells – to produce more sex cells (gametes)

# First Meiosis Division

Produces cells containing 1/2 # of double stranded chromosomes

# Second Meiosis Division

Results in formation of four cells

Each cell w/ ½ # of single-stranded chromosomes (haploid cells)

### Sperm

Each primary sperm cell develops into four haploid cells of equal size. As cells mature, the cells lose most of their cytoplasm and develop a long whip-like tail for movement.


# Egg

Each primary egg cell develops into one large haploid cell and three smaller haploid cells called polar bodies. The first meiosis division produces one large cell and one polar body. The second meiosis causes the large cell to produce one egg cell and a polar body; the original smaller polar body divides into two polar bodies. The polar bodies eventually disintegrate. The final egg cell is provided with the larger supply of stored nutrients

# RESULTS:

Four daughter cells (sex cells)

½ # of chromosomes (haploid) with genetic variation (n = 23)
Sex cells combine during **sexual reproduction** to produce a diploid individual



### GENETICS

- branch of biology that deals with heredity
- Gregor Mendel experimented with sweet pea plants in 1800s
- Trait characteristic an individual receives from its parents
- Gene carries instructions responsible for expression of traits; a pair of inherited genes controls a trait; one member of the pair comes from each parent; often called alleles
- Homozygous two alleles of a pair are identical (BB or bb)
- Heterozygous two alleles of a pair are different (Bb); often called "hybrid"
- Dominant controlling allele; designated with a capital letter
- Recessive hidden allele; designated with lower-case letters
- Genotype genetic makeup of an organism (represented by the letters)
- Phenotype physical appearance of an organism (description of the letters)
- Monohybrid cross involving one trait
- **Dihybrid** cross involving two traits
- Punnett Square graphic organizer used to show the probable results of a genetic cross
  - Pedigree graphic organizer to map genetic traits between generations
- Karyotype chart of metaphase chromosome pairs to study chromosome number / diseases
- Test Cross mating of an individual of unknown genotype with an individual of known genotype; can help to determine the unknown genotype of the parent

# **MENDELS LAWS OF HEREDITY:**

# 1. Law of Dominance

- the dominant allele will prevent the recessive allele from being expressed
- recessive allele will appear when it is paired with another recessive allele in the offspring

# 2. Law of Segregation

- gene pairs separate when gametes (sex cells) are formed
- each gamete has only one allele of each gene pair

# 3. Law of Independent Assortment

- different pairs of genes <u>separate</u> <u>independently</u> of each other when gametes are formed (Anaphase II in Meiosis)

# **MUTATIONS:**

- change in genetic code
- passed from one cell to new cells
- transmitted to offspring if occurs in sex cells
- most have no effect
- Gene Mutation change in a single gene
- Chromosome Mutation change in many genes
- Can be spontaneous or caused by environmental *mutagens* (radiation chemicals etc.)

# PATTERNS OF INHERITANCE:

# Sex Chromosomes

23<sup>rd</sup> pair of chromosomes; Males = XY; Females = XX

# Sex-Linked Traits

- traits associated with particular sexes
- X-Linked Traits inherited on X chromosome from mother (ex: colorblindness, baldness, hemophilia)

### Linked Traits

- genes are linked on chromosomes; genes on same chromosome are inherited together; ex: red hair and freckles
- one trait controlled by many genes (ex: hair color, eye color, skin pigment)

# Multiple Alleles

presence of more than two alleles for a trait (ex: eye color)

# Polygenic Inheritance

one trait controlled by many genes (ex: hair color, skin color); genes may be on the same or different chromosomes

# Codominance

 phenotypes of both homozygous parents are produced in heterozygous offspring so that both alleles are equally expressed (ex: black chicken + white chicken = checkered chickens), (ex: sickle cell anemia)

# Incomplete Dominance

- phenotype of a heterozygote is intermediate between the two homozygous parents; neither allele is dominant, but combine to display a new trait (ex: red flower + white flower = pink flower)

# Dominance / Recessive ness

- observed trait is controlled by a homozygous genotype
- ex: dominance disease Huntington's; ex: recessive disease Cystic Fibrosis and Tay Sach's

# SOURCES OF VARIATION:

### Crossing Over


- genes from one chromosome are exchanged with genes from another chromosome
- occurs regularly during meiosis and leads to greater genetic variation
- many different phenotypes are a result of the random assortment of genes that occurs during sexual reproduction

# Nondisjunction

- during meiosis, homologous pairs of chromosomes don't separate
- results in half the sex cells having an extra chromosome and the other half having one less chromosome
- if fertilization occurs with an abnormal sex cell, zygote formed will have either one extra (*trisomy*) or one less (*monosomy*) than the diploid number (ex: Down's Syndrome caused by extra 21st chromosome)

# Genetic Variation

- influenced by crossing over, mutations, genetic engineering, random assortment of genes, natural selection
- genetic variation controlled by sexual reproduction (does not occur in asexual reproduction)
- gene regulation vs. gene expression the expression of genes is regulated by turning genes on / off or amount of action
- environment can influence magnitude of gene expression (ex: improper nutrition can prevent proper bone growth)



KARYOTYPE: to identify gender or chromosomal abnormalities


### LAWS OF PROBABILITY TO PREDICT INHERITANCE:

- Punnett Squares provide a shorthand way of finding expected proportions of possible genotypes and phenotypes in the offspring of a cross.
- Fertilization must occur at random
- Results are expected, not actual; results based on chance
- Results predicted by probability are more likely to be seen when there is a large number of offspring
- a **monohybrid** cross contains four boxes; a cross between two heterozygous individuals would reveal a 1:2:1 genotype ration and a 3:1 phenotype ratio in the offspring; the probability that the offspring will show a dominant phenotype is ¾, or 75%
- a *dihybrid* cross contains sixteen boxes; a dihybrid cross reveals two traits for both parents; a cross between two heterozygous individuals would reveal a 9:3:3:1 phenotype ratio in the offspring

# **GENETIC ENGINEERING (GENOMICS):**

- sometimes called biotechnology
- process of transferring a gene (DNA) from one organism to another
- Organisms with transferred gene now produce "recombined" genetic code ( called "recombinant DNA")
- Ex: insulin produced through bacteria
- Ex: oil-eating bacteria
- Has application in medicine, environment, industry, agriculture, selective breeding
- Human Genome Project
- DNA Fingerprinting

# Key PEDIGREE Male Female Affected Individual Parents and one child twins A- A- aa



### EVIDENCE OF EVOLUTION:

- Fossils may appear in rocks, ice, amber; when fossils are arranged in order of their age, the fossil record
  provides a series of changes that occurred over time; comparison of anatomical characteristics reveals shared
  ancestry
- DNA when gene or protein sequences from organisms are arranged, species thought to be closely related based on fossil evidence are seen to be more similar than species thought to be distantly related
- **Embryology** embryos of different vertebrates look alike in their early stages, giving the superficial appearance of a relationship

# **ORIGINS OF LIFE:**

**Biogenesis** – idea that living organisms came only from other living organisms

**Spontaneous Generation** – mistaken idea that life can arise from nonliving materials; sometimes called Abiogenesis

- Francesco Redi performed controlled experiments that tested spontaneous generation of maggots from decaying meat disproved idea.
- Louis Pasteur performed controlled experiments that tested spontaneous generation of microorganisms in nutrient broth – disproved idea.

**Protocells** – large, ordered structure, enclosed by a membrane, that carries out some life activities, such as growth and division; name given to first living cells, possibly photosynthetic prokaryotes; may have arisen through organic evolution; eukaryotes may have arisen through endosymbiosis (symbiotic relationship between prokaryotes)

# NATURAL SELECTION and THEORY OF EVOLUTION:

- proposed by Charles Darwin
- process by which organisms that are best suited to environment survive and pass genetic traits on to offspring
- has no effect on increased production of offspring, fossil formation, or changes in habitat
- adaptation organisms with the most suited traits will survive
- evolution change in a species over time (not a single individual, but the group)
- microevolution evolution that occurs within the species level; results from genetic variation and natural selection within a population
  - antibiotic resistance
  - pesticide resistance
- macroevolution evolution that occurs between different species; focuses on how groups of organisms change
  - convergent evolution two species evolve similarly
  - divergent evolution a group of species evolve differently
  - <u>adaptive radiation</u> a group of species adapt separately to environments
  - speciation formation of a new species
  - geographic isolation physical barrier divides a population, results in individuals that cannot mate, leads to a new species
  - reproductive isolation genetic mutation or behavioral change prevent mating

# GOAL 4: Develop an understanding of the unity and diversity of life.

- Classification of Organisms according to Evolutionary Relationships, Historical Development and Changing Nature of Classification Systems, Eukaryotic vs. Prokaryotic Organics, Eukaryotic Kingdoms, Dichotomous Keys
- Processes by which Organisms or Representative Groups accomplish Essential Life Functions
- Adaptations affecting Survival and Reproduction, Structural Adaptations in Plants and Animals, Disease-Causing Viruses and Microorganisms, Co-Evolution
- Interactive Role of Internal / External Factors in Health and Disease, Genetics, Immune Response, Nutrition, Parasites, Toxins
- Patterns of Animal Behavior as Adaptations to the Environment, Innate / Learned Behavior

# **CLASSIFICATION:**

- process in understanding how organisms are related and how they are different
- taxonomy branch of biology that studies grouping and naming of organisms
- history of classification systems
  - 4th Century B.C., Aristotle proposed two groups (plants and animals) and used common names for identification, based on "blood" and "bloodless"
  - early 1700s, Carolus Linnaeus developed a system based on physical characteristics
    - two kingdoms (plants and animals)
    - developed "genus" and "species"
    - designed system of naming called **binomial nomenclature** ("two names") which gave each organism two names, a genus and a species, Genus always capitalized, both should be underlined or italicized
- Six kingdoms: Archaebacteria, Eubacteria), Protista, Fungi, Plantae, and Animalia
- a dichotomous key is a tool used to identify organisms by using pairs of contrasting characteristics
- basis of current classification: phylogeny, DNA / biochemical analysis, embryology, morphology, Phylogenetic trees

# LEVELS OF CLASSIFICATION:

- Kingdom
- Phylum
- Class
- Order
- Family
- Genus
- Species

# **CLASSIFICATION OF HUMANS:**

Kingdom Animalia (multicellular organisms that eat food)

Phylum Chordata (dorsal hollow nerve cord, notochord, pharyngeal slits)

Class Mammalia (hair, mammary glands, endothermy, four-chambered heart)

Order Primates (nails, clavicle, orbits encircled with bone, enlarged cerebrum, opposable digits)

Family Homidae (bipedal – walk erect on two feet, advanced tool use)

Genus *Homo* ("human" like)

Species Homo sapiens

# **COMPARISON OF EUKARYOTE TO PROKARYOTE:**

<u>Prokaryote</u> – has nuclear material in the center of the cell, but is not enclosed by a nuclear membrane; no membrane bound organelles; examples: bacteria and blue-green algae

<u>Eukaryote</u> – contain a clearly defined nucleus enclosed by a nuclear membrane and membrane bound organelles; examples: plants, animals, fungi, and protists

COMPARISON OF KINGDOM CHARACTERISTICS					
MONERA	PROTISTA	FUNGI	PLANTAE	ANIMALIA	
Bacteria	Protists	Eukaryote	Eukaryote	Eukaryote	
Prokaryote	Eukaryote	Multicelluar	Multicellular	Multicellular	
Unicellular, colonial	Unicellular	Aerobic	Aerobic	Aerobic	
Aerobic / anaerobic	Multicellular	Decomposer	Producer	Consumer	
Decomposer	Aerobic	Lack chlorophyll	Photosynthesis	Cellular respiration	
Heterotrophic	Pathogenic / parasitic	Pathogenic	Cell wall (cellulose)	Invertebrates	
Photosynthetic (some)	Animal-like (protozoa)	Saprophytic / parasitic	Vascular system, seeds	Vertebrates	
Chemosynthetic (some)	Plant-like (algae)	Medicinal, food source	Poisonous	Symmetry	
Pathogenic	Medicinal, food source	Heterotrophic	Medicinal, food source		
Medicinal	Mobile	Sexual / asexual	Alternation of generations	Ex: Homo sapiens	
Classified by shape	Ex: amoeba	Alternation of generations	Roots, stems, leaves	·	
Binary fission		Often symbiotic with algae	Pollination(fertilization)		
Vaccines, antibiotics		Ex: mushroom	Germination		
Ex: streptococcus			Ex: oak		

Note: Current classification systems reveal six kingdoms, where Monerans are divided into <u>Archaebacteria (ancient bacteria, anaerobic nature)</u> and <u>Eubacteria (true bacteria, aerobic nature)</u>.

### VIRUSES:

Note: Viruses are not considered living organisms!

- composed of a nucleic acid surrounded by a protein coat
- use living cells to replicate viral nucleic acid
- infects a living cell when the virus injects its nucleic acid into the host cell; the viral nucleic acid replicates and makes more viruses
- two processes to infect host cells: the lytic cycle and the lysogenic cycle
- lytic: virus attached to host cell injects its nucleic acid into host; nucleic acid is immediately replicated; host bursts; releases virus
- lysogenic: host infected but does not immediately die; viral DNA is replicated along with host DNA; virus becomes dormant; spontaneously enters lytic cycle and cell bursts may be years later
- viruses can infect animals, plants, and bacteria
- viruses do not respond to drug treatment
- immunity must be acquired naturally or from vaccinations

# **DICHOTOMOUS KEYS:**

- device used to aid in identifying a biological specimen
- offers two alternatives at each juncture, each choice determining the next step; breaks down subgroups by their evolutionary relationships
- can be used for field identification of species, as found in field guides by focusing on practical characteristics

- 1. Leaves usually without teeth or lobes: 2
- 1. Leaves usually with teeth or lobes: 5
- 2. Leaves evergreen: 3
- 2. Leaves not evergreen: 4
- 3. Mature plant a large tree Southern live oak Quercus virginiana
- 3. Mature plant a small shrub Dwarf live oak Quercus minima
- 4. Leaf narrow, about 4-6 times as long as broad Willow oak Quercus phellos
- 4. Leaf broad, about 2-3 times as long as broad Shingle oak Quercus imbricaria
- 5. Lobes or teeth bristle-tipped: 6
- 5. Lobes or teeth rounded or blunt-pointed, no bristles: 7
- 6. Leaves mostly with 3 lobes Blackjack oak Quercus marilandica
- 6. Leaves mostly with 7-9 lobes Northern red oak Quercus rubra
- 7. Leaves with 5-9 deep lobes White oak Quercus alba
- 7. Leaves with 21-27 shallow lobes Swamp chestnut oak Quercus prinus

Source: Wikipedia (http://en.wikipedia.org/wiki/Dichotomous key )

# **PLANTS** Spore-Producing Plants

Nonvascular, produce spores

Remain small- absorb water by osmosis

Sperm swim to fertilize eggs

Live in moist environments

Reproduce sexually

Alternation of Generations

(You see the gametophyte generation)

Mosses and liverworts

# Vascular Plants

Two types of vascular tissue

*Xylem* – transports water and minerals (UP)

Phloem – transports sugars (DOWN)

Produce spores

Club mosses, horsetails, ferns

Require water for reproduction

Alternation of Generations

(you see the sporophyte generation)

# Seed Producing Vascular Plants

Vascular. Produce seeds

Seed = embryo protected by a seed coat

Two groups based on reproduction

Gymnosperms - cone-bearing

Angiosperms - flowering

- monocots (corn) and dicots (flowers)

Roots - anchor, absorb water, store food

Stems – support, transport

Leaves - photosynthesis, produces food Adaptations – seed, pollen, fruit, flowers Pollination – fertilization, germination

# **INVERTEBRATES**

Three types of symmetry No symmetry (disorganized)

Radial symmetry (around a central point)

Bilateral symmetry (equal on both sides)

Specialized bodily functions

No backbone, usually outer covering

(exoskeleton)

May be hydrostatic (water-based, aquatic)

Sponges (Porifera)

No symmetry

# Cnidarians (Coelenterata)

Jellyfish, hydrostatic, radial symmetry Specialized stinging cells in tentacles

# Flatworms (Platyhelminthes)

Leeches, bilateral symmetry

Suckers for removing fluids from host

# Roundworms (Nematoda)

Parasites, radial symmetry

# Segmented worms

earthworms

decomposers

# Mollusks (Mollusca)

Clams, oysters (bivalves)

Hard outer shell (calcium carbonate)

Food source

# Arthropods (Arthropoda)

Crabs, insects (segmented body) Pollinators, bilateral symmetry

# Echinoderms (Echinodermata)

starfish

radial symmetry

# **VERTEBRATES**

Have a coelom (true body cavity)

Skeletal systems (endoskeleton)

Strong, flexible backbone (support)

Bilateral symmetry

Aquatic or terrestrial environments

Organized systems

# Jawless fishes

Lampreys

# Cartilaginous fishes

Sharks, cartilage

# Bonv fishes

Bass. trout

Scales, paired fins, gills, bone

External fertilization

# **Amphibians**

Salamanders, frogs

Moist skin and lack scales

Have gills as young, lungs and limbs as adults

External fertilization

# Reptiles

Snakes, turtles

Dry, scaly skin

Internal fertilization

Terrestrial eggs (leathery shells) Developed lungs, strong limbs

**Birds** 

Hawks, eagles, robin

Feathers, hollow bones, strong muscles

Efficient heart and lungs for flying

Internal fertilization (terrestrial amniotic egg)

# Mammals

Humans, monkeys, whales

Hair or fur

Internal fertilization (internal development)

REPRESENTATIVE GROUPS AND ESSENTIAL LIFE FUNCTIONS								
	Unicellular Protists	Annelid Worms	Insects	Amphibians	Mammals	Nonvascular Plants	Angiosperms	Gymnosperms
Transport	Diffusion	Closed Circulatory System	Open Circulatory System	Closed Circulatory 3 Chambers	Closed Circulatory 4 Chambers	NO Xylem NO Phloem	Xylem and Phlo Transpiration, C Absorption	
Excretion	Pinocytosis Phagocytosis Diffusion	Coelom with Septa	Malpighian Tubes	Cloaca Cloaca Vent	Kidneys Bladder Anus	Transpiration (water) Photosynthesis (carbon dioxide)		
Respiration	Aerobic Mitochondria Photosynthesis	Skin Blood Vessels	Tracheal Tubes	Gills Lungs Moist Skin	Lungs	Cellular Respiration in Mitochondria Release Oxygen, Burn Glucose		
Regulation	Flagella, Cilia Pseudopodia Eyespot	Nerve Cord Lateral Nerves Vascular System	Brain, Ventral Nerve Cord	Ectotherms	Endotherm Brain Neocortex	NO Roots NO Stems NO Leaves	Roots, Stems and Stracheids and St. Members	
Nutrition Filter Feeders>	Internal Digestion (Pinocytosis)	Filter Feeders Scavengers Deposit Feeders	CoEvolution with Plants for Pollination	Carnivores Attached Tongue	Herbivores Carnivores	Water and Sugars (Photosynthesis) Nitrogen Sunlight		
Synthesis	Form Cysts Starch Spores	Regeneration	Honey, Wax, Silk, Lacquer, etc.	Glandular Secretions (Poison)	Sweat Milk	Glucose	Glucose Seeds Flowers	Glucose Seeds Cones
Reproduction	Sexual Asexual	Asexual (fission) Sexual (hermaphrodite)	Sexual Ovoviviparous Viviparous	Sexual Direct Development	Sexual	Sexual Asexual Alternation of Generations (AoG)		
Growth and Development	Spores (AoG) Water Bases Habitat	True Segmentation Replication	Eggs Metamorphosis	Eggs in Jelly Tadpole Stage Metamorphosis	Placenta Eggs (few)	Water Based Habitat	Land Based Flowers	Land Based Cones

MAJOR SYSTEMS AND ORGANS				
SYSTEM	FUNCTION BASIC ORGANS, AND STRUCTURAL			
Circulatory	Transports nutrients, fluids, gases	Heart, veins, arteries		
Digestive	Breaks down food into essential nutrients Mouth, esophagus, stomach, intestines			
Endocrine	Controls body functions through hormones Glands which secrete hormones			
Excretory	Removes cellular wastes from the blood Bladder, kidneys, urethra			
Immune	Protects the body against invading organisms	White blood cells		
Integumentary	Protects the body by forming the body's outer layer	Skin, hair, nails		
Muscular	Moves the body with the help of the skeletal system Muscles			
Skeletal	Supports the body internally	Bones, cartilage, ligaments, tendons		
Nervous	Coordinates sensory input with motor output	Brain, spinal cord, sense organs		
Reproductive	Provides a means of producing offspring	Testes (male), ovaries and uterus (female)		
Respiratory	Controls the exchange of gases	Nose, pharynx, larynx, trachea, bronchi, lungs		

# REPRODUCTION, GROWTH, DEVELOPMENT:

**Reproduction** – production of offspring by an organism; a characteristic of all living things (can be sexual or asexual); exists for the continuation of the species, not the individual

**Growth** – increase in the amount of living material and formation of new structures in an organism; a characteristic of all living things; ex: getting bigger, growing muscle, longer bones, etc.

**Development** – all the changes that take place during the life of an organism; a characteristic of all living things; ex: infancy, youth, puberty, adulthood, death

# **DISEASE CAUSING MICROORGANISMS:**

- Microorganisms are living organisms, usually unicellular bacteria, than can only be seen with a microscope.
- Benefits of microorganisms: help us to digest food, encourage normal development of the immune system, fight off bad organisms
- Microbes (or pathogens) include viruses, bacteria, fungi, and parasites, which cause disease when our immune system can't fight them
- Microorganisms can be identified based on their size, shape, color, ability to form colonies, etc.
- Process of growing the organism is called a culture, and can be used to test sensitivity of organisms to various antibiotics which will help a doctor determine which drug to use in treating an infection.
- An infectious disease in humans occurs when balance is disturbed by: exposure to an organism, normal microorganisms in the body become pathogenic, or the human immune system does not act fast enough or strong enough.
- Most common areas on the body for microorganisms: skin, mouth, upper airway, intestine, genitals

# **EXAMPLES OF INFECTIOUS ORGANISMS:**

- Bacteria - microscopic, single celled

Streptococcus pyogenes (strep throat)

Escherichia coli (urinary tract or intestinal infection)

- Viruses - cannot reproduce on its own (invades a host cell)

Varicella zoster (chicken pox) Rhinovirus (common cold)

- Fungi – yeasts, molds, mushrooms


Candida albicans (yeast infection)

Tinea pedis (athlete's foot)

- Parasites – organism such as a worm or single celled animal (protozoan) that survive by living inside another organism (host)

Enterobius vermicularis (pinworm)

Plasmodium falciparum (malaria)



# **ANTIBIOTIC RESISTANCE:**

- some bacteria are resistant to antibiotics because they have enzymes that can destroy the antibiotics or because of genetic mutation that allow them to grow despite the antibiotics
- increasing numbers of microorganisms have become resistant to antibiotics are violent and untreatable, now called "superbugs"
- overuse of antibiotics has led to the development of resistant bacteria

# How can you prevent the spread of antibiotic resistance?

- avoid antibiotics unless they are clearly needed
- do not take antibiotics without the advice of a doctor
- take the full course of prescription
- do not save antibiotics for later
- do not demand antibiotics from the doctor

# ANIMAL BEHAVIORAL ADAPTATIONS:

Behavior - animal's response to a stimulus

Innate behavior - instinct; influenced by genes

Ex: bird defending its nest

Learned behavior - changed by experience

Ex: training a pet to respond to a specific name

Social behavior - interactions between members of the same species

Ex: mating and caring for offspring

Territorial behavior – organisms defend an area to keep out other organisms (ex: animal marking trees)

Reflex - automatic, neuromuscular action (ex: knee jerk)

Taxis - response to a directional stimulus; organism is motile

# **DEFENSES AGAINST INFECTION:**

# First Line of Immune Defense:

- <u>Physical Barriers</u> skin, mucous membranes (linings of the mouth, nose, eyelids), airways, stomach acid, pancreatic enzymes, bile, intestinal secretions, urinary secretions **Second Line of Immune Defense:**
- <u>Blood</u> increasing the number of certain types of white blood cells that engulf and destroy invading microorganisms
- Inflammation release or substances from damaged tissue isolates area to attack and kill invaders and dispose of dead and damaged tissue, and to begin repair; blood supply increases which brings more white blood cells to swollen area
- <u>Fever</u> body temperature increases to enhance defense ability (controlled by hypothalamus in brain); causes shivers, chills, body aches; normal body temperature is 98.6°F, a fever is considered higher then 100°F.

# Third Line of Immune Defense:

- Immune Response immune system responds by producing substances that attack invaders (ex: killer T cells, phagocytes) and the immune system produces antibodies that attach to and immobilize the invader to kill it; antibodies will "remember" the infectious organism so it will kill it upon next exposure; immune system is present all over the body and tightly bound to blood and lymph systems; tissues and cells that provide antibodies include red bone marrow, thymus, spleen, circulating lymphatic system, and white blood cells.
- There are two types of immunity:
- *Natural Immunity* created by body's natural physical barriers or in the form of antibodies passed from mother to child
- Acquired Immunity created by exposure to a specific microorganism, which is "remembered" by the body's immune system Immunization body's ability to fight off certain organisms is stimulated or enhanced
- 1. Active Immunization contain either noninfectious fragments or whole pieces of bacteria or viruses that have been weakened so they will not cause infection but will instead cause the production of antibodies (vaccination)
- 2. Passive Immunization antibodies against a specific infectious organism are given directly to the person (vaccine may not be available)

# **External Defenses:**

- <u>Antibiotics</u> organic substances synthesized by microorganisms or at a lab used to treat infectious diseases or to prevent them; each antibiotic is specific to a certain bacteria; can be administered by mouth, vein, or muscle
- <u>Hygiene</u> keeping a clean environment that limits exposure to infected bodily fluids, decomposing material, or infected people will prevent the spread of infection

# CIRCADIAN RHYTHMS AND RHYTHMIC BEHAVIOR:

- 24 hour cycle in plants, animals, fungi, and bacteria
- Biological rhythms can be daily, weekly, seasonal, annual
- Can be influenced by external factors such as sunlight and temperature
- Rhythmic behavior can be passed through genes to offspring
- Include behaviors such as sleeping, eating, brainwave activity, hormone production, cell regeneration, mating and sexual reproduction, hibernation, estivation, etc.

# ADAPTIVE RESPONSES:

- **Mimicry** structural adaptation that allows one species to resemble another species; may provide protection from predators
- Camouflage structural adaptation that enables species to blend with their surroundings; allows a species to avoid detection
- Migration instinctive seasonal movements of animals from place to place
   Emigration movement of individuals from a population; leaving the
- population
   **Immigration** movement of individuals into a population
- **Hibernation** state of reduced metabolism occurring in animals that sleep during parts of cold winter months; an animal's temperature drops, oxygen consumption decreases, and breathing rate declines
- **Estivation** state of reduced metabolism that occurs in animals living in conditions of intense heat
- **Mating / Reproduction –** production of offspring for the survival of the species; can be seasonally scheduled

# PLANT TROPISM:

Growth responses that result in curvature of plant organs towards or away from stimuli due to different rates of elongation

**Geotropism** – response to gravity; roots have positive geotropism; stems have negative geotropism

**Phototropism** – response to light (leaves)

**Hydrotropism** – response to water (roots)

**Thigmotropism** – response to touch (venus flytrap)

**Chemotropism** – response to chemicals

# GOAL 5: Develop an understanding of ecological relationships among organisms.

- Interrelationships among Organisms / Populations / Communities / Ecosystems, Techniques of Field Ecology, Abiotic / Biotic Factors, Carrying Capacity
- Flow of Energy and Cycling of Matter in the Ecosystem, Relationship of Carbon Cycle to Photosynthesis and Respiration, Trophic Levels, Direction and Efficiency of Energy Transfer
- Human Population and its Impact on Local Ecosystems and Global Environments, Historic and Potential Changes in Population, Factors associated with Population Change, Climate Change, Resource Use, Sustainable Practices / Stewardship

# **ENERGY FLOW IN AN ECOSYSTEM**

SUN >>>> GRASS >>>>

MICE

>>>>

**HAWK** 

Sunlight is the main energy source for living things. Energy flows through an ecosystem from the sun to organisms within the ecosystem in one direction. Two main groups of organisms in the ecosystem are the producers and consumers.

**Producers** – autotrophs, use sun's energy to make their own food, plants (grass)

**Consumers** – heterotrophs, cannot make their own food, eat other living things to get their energy (mice- primary consumers; and hawk-secondary consumer)

# STRUCTURE OF AN ECOSYSTEM

Organism >>>> Species >>>> Population >>>> Community >>>> Ecosystem >>>> Environment

**Species** – group of organisms that can interbreed **Community** – groups of interacting populations

Habitat – place where an organism lives

Population – units of single species

Ecosystem – groups of interacting communities

Niche – organism's role within its habitat

GROUPS OF ORGANISMS					
Consumer	Energy Source	Example			
Herbivore	Eat plants	Deer			
Carnivore	Eat other animals	Lion			
Omnivore	Eat plants and animals	Human			
Decomposer	Break down dead organisms	Bacteria & Fungi			

# **SYMBIOTIC RELATIONSHIPS:**

**Symbiosis** – permanent, close association between one or more organisms of different species

**Mutualism** – a symbiotic relationship in which both species benefit (ex: in subtropical regions, ants protect acacia trees by fighting invaders, acacia tree provides nectar to ants)

**Commensalism** – symbiotic relationship in which one species benefits and the other species is neither harmed nor benefited (ex: Spanish moss grows on and hangs from limbs of trees, but does not obtain any nutrients from tree, nor harm the tree)

**Parasitism** – symbiotic relationship in which one organism benefits at the expense of another, usually another species (ex: parasites such as bacteria, roundworms, tapeworms live in the intestines of organisms to obtain nutrients and reproduce, but cause disease in the organisms)

# **FOOD CHAIN:**

- Path of energy from producer to consumer
- Each level is called a trophic level (trophic = energy)
- Approximately 10% energy is transferred to next level
- 90% used for personal metabolism and development

### FOOD WEB:

- Interconnected food chains
- Shows all possible feeding relationships at each trophic level in a community

### **ECOLOGICAL PYRAMID:**

- Representation of energy transfer
- Pyramid of Energy each level represents energy available at that level, 90% decline
- Pyramid of Biomass each level represents amount level above needs to consume
- Pyramid of Numbers each level represents number of organisms consumed by level above it

# SOME EXAMPLES OF ENVIRONMENTAL LIMITING FACTORS

Biotic (living) Abiotic (nonliving)
Plants Climate

Animals Light
Bacteria Soil
Prey Water
Food Sources Shelter
(Nutrients) Pollution

# **SPECIES / POPULATION SURVIVAL:**

- Natural Selection mechanism for change in populations; occurs when organisms with favorable variations survive, reproduce, and pass their variations to the next generation; "survival of the fittest"
- Adaptation (Behavioral or Physiological) evolution of a structure, behavior, or internal process that enables an organism to respond to environmental factors and live to produce offspring
- Limiting Factors (Environmental) any biotic or abiotic factor that restricts the existence, numbers, reproduction, or distribution of organisms
- Genetic Mutations any change or random error in a DNA sequence (one gene or many; somatic cells or gametes)
- Biodiversity variety of life in an area; usually measured as the number of species that live in an area
- Evolution (Macroevolution vs. Microevolution) gradual change in a species through adaptations over time
- Endangered Species number of individuals in the species falls so low that extinction is possible
- Extinction disappearance of a species when the last of its members die

# **CHARACTERISTICS OF LIVING THINGS:**

- require food for energy to carry out life processes
- use energy to maintain homeostasis
- respond to stimuli in the environment
- grow and develop
- reproduce similar offspring
- pass genetic information to their offspring
- composed of cells
- composed of organic based compounds

# **ALTERNATION OF GENERATIONS:**

 type of life cycle found in some algae, fungi, and all plants where an organism alternates between a haploid (n) gametophyte generation and a diploid (2n) sporophyte generation

# CYCLES:

(Matter cannot be created nor destroyed, but can be converted/recycled to other forms)


Water Cycle – water is recycled through evaporation, condensation, precipitation, runoff, groundwater, aquifers, respiration, transpiration, excretion, decomposition


Nitrogen Cycle – producers take in nitrogen compounds in soil and pass to consumers that consume the producers; decomposers (bacteria) break down nitrogen compounds and release nitrogen gas to air or usable nitrogen so the soil


**Carbon Cycle** – carbon is recycled through respiration, photosynthesis, fuel combustion, decomposition; carbon can be atmospheric or dissolved, or can be found in organic compounds within the body


# **ECOLOGY FIELD STUDY:**


- using specific methods and procedures to study plants and animals in their natural setting, and to observe interrelationships of living and non-living factors in a specific habitat
- observations might include: temperature recordings, location, soil description, number and kinds of plants and animals, food source(s), rainfall amount, change in growth, interactions between organisms, identification of organisms into genus and species, temperature variations from morning to afternoon to night, light levels (at different times of day), sound levels (at different times of day), photographs, diagrams of levels (ground level, canopy level, etc.) and the animals and plants at each level, water sampling, quadrant studies, graphs of growth
- field study requires the collection of data and the analysis of data through graphs, charts, diagrams, etc.
- field study also requires the recording of all observations, data, etc. into a legitimate field notebook that would include personal interpretations, photographs, newspaper clippings, etc.














# TYPES OF ECOSYSTEMS (BIOMES):

**AQUATIC:** based on flow, depth, temperature, chemistry **TERRESTRIAL:** based on geography, rainfall.

temperature

**Tropical Rain Forest** – significant diversity, warm, moist **Savanna** – grassland with isolated trees, warm yearround, consistent rainfall, borders deserts

**Desert** – hot, dry, minimal rainfall, middle latitudes **Temperate Grassland** – variety of grasses, cold winters, warm summers, seasonal rainfall, borders savannas


**Temperate Forest** – deciduous, seasonal growth and weather patterns


Taiga - coniferous, borders tundra

Tundra - cold, frozen

Marine - oceans, saltwater, large diversity

Freshwater - lakes, streams, lower diversity





# SUCCESSION:

- orderly, natural changes, and species replacements that take place in communities of an ecosystem over time *Primary Succession* – colonization of barren land by pioneer organisms (soil must be developed) *Secondary Succession* – sequence of changes that take place after a community is disrupted by natural disasters or human actions (soil already present)

# IMPACT OF HUMANS ON THE ENVIRONMENT:

- caused extinction of species through hunting, fishing, agriculture, industry, urban development
- growing population = greater demands on environment
- affected quality and quantity of land, air, water resources
- Pollution = pollutants
- Air Pollution = smog, acid rain, dust, smoke, gases, fog, carbon dioxide
- Water Pollution = sewers, industry, farms, homes, chemical waste, fertilizer, dirty dish water
- Land Pollution = landfills, dumpsites, runoff, negligence, urban wastes

# **CONSERVATION EFFORTS:**


- conserve energy resources
- protect and conserve material resources
- control pollution (recapture wastes, carpooling, solid waste neutralization)
- wildlife conservation protect animals from habitat loss, overhunting, pollution
- reduce, reuse, recycle programs
- sanitation and waste disposal programs


# **CRITICAL ISSUES:**

- Global Warming, Pesticides, Population Growth

# FACTORS THAT AFFECT POPULATION CHANGE:

- natural increase of a population depends on the number of births and deaths
- if births outnumber deaths, there will be an increase in population
- growth rate of a population measured in terms of birth rate (number of births per 1000 people per year) and death rate (number of deaths per 1000 people per year)
- fertility rates (number of babies), life expectancy, migration / immigration also contribute to population change
- study of population is called demography; a census is a measure of the population at a particular time





### **FACTORS THAT AFFECT CLIMATE CHANGE:**

- distance from the sea
- ocean currents
- Direction of prevailing winds
- relief (altitude / mountains)
- proximity to the equator
- El Nino phenomenon
- human population growth
- pollution
- industry

# FACTORS THAT AFFECT RESOURCE USE AND SUSTAINABILITY:

- population count
- number of producers and consumers
- percapita consumption
- rate of industrial, urban, and infrastructure development
- wealth of country / municipality
- amount of precipitation
- renewable or nonrenewable status
- pollution / degradation of land
- industry, manufacturing, commercialism

- recycling programs
- conservation programs
- substitution programs
  - . . . . . . .

# ASSESSMENT OPPORTUNITY:

Attached to this study guide is a Biology Vocabulary EOC Review that pulls relevant terms for some of the study content. Using the word list provided, try to identify the appropriate term that correlates to each definition. Make flash cards for each term and its definition for an extra study opportunity. After using the flashcards, do the Vocabulary EOC Review again.

Retrieve from your teacher a sample EOC Test. Take some time to first *skim* the assessment questions to get a good idea of their content and their complexity. It is important to understand how many questions you will be answering, develop a time limit to answer *all* questions, and how to break down each question into its critical parts. Second, *Read* each question carefully, make note of the key word(s) in each question, and read each answer choice thoroughly before choosing a final answer. It is good to use a highlighter (or your pencil) to circle or highlight the key word(s) in each question. Highlight or circle similar key words or ideas in your answer choices in order to select or eliminate answer choices. This will help keep you focused and alert to what the question is asking. Once you have answered each question, check your answers against the answer key. For those questions that you answered incorrectly, *re-read* those questions and the answer choices and logically determine why you answered incorrectly and justify the reason for the correct answer. Later, without the time constraints, follow this process with each question. This will help you in the future when you are confronted with questions of similar content. (*Teachers: Use the sample EOC Test that accompanies your textbook or the sample EOC Test that accompanies the "5 Days to the EOC" resource.*)

Good Luck and Good Testing! ©

# Additional Resources used to develop this study guide (other than those already listed or the textbook):

- 1. www.dictionary.com
- 2. www.wikipedia.org
- 3. http://www.utas.edu.au/sciencelinks/exdesign
- 4. http://www.accessexcellence.org/
- 5. www.reference.com